



European Centre for Soft Computing

Future Directions in Soft Computing

Genetic Algorithms:
Basic notions and some advanced topics

Francisco Herrera

Grupo de Investigación

“Soft Computing y Sistemas de Información Inteligentes”

Dpto. Ciencias de la Computación e I.A.

Universidad de Granada

18071 – ESPAÑA

herrera@decsai.ugr.es

<http://sci2s.ugr.es>



DECSAI
Universidad de Granada

Genetic Algorithms:

Basic notions and some advanced topics

SESSIONS

a. Introduction to genetic algorithms

b. Advanced topics

Multimodal problems and multiple solutions

Multiobjective genetic algorithms

Memetic algorithms

Genetic Learning

Session b.

Genetic Algorithms:

Advanced topics



- ❑ Multimodal problems and multiple solutions**
- ❑ Multiobjective genetic algorithms**
- ❑ Memetic algorithms**
- ❑ Genetic Learning**

1. MULTIMODAL PROBLEMS AND MULTIPLE SOLUTIONS

- MULTIMODAL PROBLEMS
- EVOLUTION IN MULTIMODAL PROBLEMS
- NICHING GENETIC ALGORITHMS

Multimodal problems



- There are a lot of interesting problems with multiple optima.
- In some problems we want to obtain a set of multiple solutions.



Evolution in Multimodal problems


- Example: Max $z = f(x, y)$

$$z = f(x, y) = 3 \cdot (1-x)^2 \cdot \exp(-(x^2) - (y+1)^2) - 10 \cdot (x/5 - x^3 - y^5) \cdot \exp(-x^2 - y^2) - 1/3 \cdot \exp(-(x+1)^2 - y^2).$$





Evolution in Multimodal problems

- Initial population: random choice
- The evolutionary process converges towards a region: **genetic drift.**



Initial Population (Gen 0)



After 10 generations

Question: How to work if we can to obtain solutions in different regions?

Niching genetic algorithms

The “niching” concept is introduced for obtaining multiple solutions.


The niching genetic algorithms evolve towards different regions (niches) getting different optima (one per region).

The following contribution presents a review of the classical models:

B. Sareni, L. Krähenbühk, Fitness Sharing and Niching Methods Revisited. IEEE Transactions on Evolutionary Computation, Vol. 2, No. 3, Septiembre 1998, 97-106.


<http://sci2s.ugr.es/docencia/index.php> (link course)

Niching genetic algorithms



Various global optima

Evolution without niches and mutation




Various local optima

Evolution without niches and mutation

We have a convergence toward an optimum (genetic drift)


Proposal: Niching genetic algorithms for getting multiple solutions

Niching genetic algorithms



Various global optima

Evolution with niches and without mutation



Various local optima

Evolution with niches and without mutation

We have a convergence towards different optima

Niching genetic algorithms

There are four different groups into which niching techniques can be divided:

1. Fitness sharing

2. Crowding

3. Clearing (very good behaviour)

4. Species competition

Pétrowski, A. (1996). A clearing procedure as a niching method for genetic algorithms. In Proc. IEEE International conference on evolutionary computation. Japan. Pp. 798-803.

Pérez, E., Herrera, F. and Hernández, C. (2003). Finding multiple solutions in job shop scheduling by niching genetic algorithms. Journal of Intelligent Manufacturing, (14) Pp. 323-341. <http://sci2s.ugr.es/docencia/index.php> (link course)

Niching genetic algorithms

■ Clearing:

Process:

Order in P from the best to the worst
for i=0 to N-1

```
{
  if (Fitness (P[i])>0)
  {
    NumGanadores=1
    for j=i+1 to N-1
      if (Fitness (P[j])>0) and (Distancia(P[i],P[j])< $\sigma$ )
      {
        if (NumGanadores<Kappa)
          NumGanadores ++
        else
          Fitness(P[j])=0 (eliminated, out of the
                           population for reproduction)
      }
    }
  }
}
```

Parameters:

σ Niche radio

Kappa Number of individuals per niche
(the best)

1. MULTIMODAL PROBLEMS AND MULTIPLE SOLUTIONS

Final comments

- The niching GAs allow us to obtain multiple solutions with only one run.
- The use of niching techniques is an important tool for avoiding the premature convergence to local optima.
- The niching techniques are an important tool in the design of multiobjective genetic algorithms.

Session b.

Genetic Algorithms: Advanced topics

- ❑ Multimodal problems and multiple solutions
- ❑ Multiobjective genetic algorithms
- ❑ Memetic algorithms
- ❑ Genetic Learning

2. MULTIOBJECTIVE GENETIC ALGORITHMS

- MULTIOBJECTIVE PROBLEMS
- EVOLUTION IN MULTIOBJECTIVE PROBLEMS
- THE ELITISM
- NSGAII
- METRICS

K. Deb, Multi-Objective Optimization using Evolutionary Algorithms. John Wiley & Sons, 2001.

C.A. Coello, D.A. Van Veldhuizen, G.B. Lamont, Evolutionary Algorithms for Solving Multi-Objective Problems. Kluwer Academic Pub., 2002.


Multiobjective problems

Single-objective optimization:

To find a single optimal solution x^* of a single objective function $f(x)$.

Multi-objective optimization:

To find a large number of Pareto optimal solutions with respect to multiple objective functions.




Multiobjective problems

Multiobjective Optimization Problem

Maximize $\mathbf{f}(\mathbf{x}) = (f_1(\mathbf{x}), f_2(\mathbf{x}), \dots, f_k(\mathbf{x}))$

subject to $\mathbf{x} \in \mathbf{X}$


Many Pareto-optimal solutions



Multiobjective problems

Pareto Dominance

Maximize $\mathbf{f}(\mathbf{x}) = (f_1(\mathbf{x}), f_2(\mathbf{x}))$



A dominates **B**


B is dominated by **A**

(**A** is better than **B**)

Multiobjective problems

Pareto Dominance

Maximize $\mathbf{f}(\mathbf{x}) = (f_1(\mathbf{x}), f_2(\mathbf{x}))$




A and C are non-dominated with each other.

Multiobjective problems

Pareto Optimal Solutions

A Pareto optimal solution is a solution that is not dominated by any other solutions.



Evolution in Multiobjective problems


Two well known names:

Multiobjective genetic algorithms (MOGA)

Multiobjective evolutionary algorithms (MOEAs)

The task of MOEAs:


To find well-distributed (near) Pareto-optimal solutions as many as possible.




Evolution in Multiobjective problems

Two Goals in the Design of MOEAs

- (1) To increase the diversity of solutions
- (2) To improve the convergence on the Pareto-front



Niching, Crowding



Pareto Ranking &
Elitist Strategy

Evolution in Multiobjective problems

Features:

- Evolution of a population of solutions (as classical GA).
- Application of mechanisms for maintaining the diversity and getting non-dominated solutions, as many as possible.


- Two kind of classical models:
 - **Aggregation of the objectives**
 - **Models that use a multicriteria trade-off for getting a pareto frontier (a set of non-dominated solutions)**

Evolution in Multiobjective problems

Aggregated fitness function focuses on one tradeoff point in frontier

Example: $[Max Q(x), Max T(x)]$

- given that $T(x)$ is twice as important as $Q(x)$, i.e.: $T(x) = 2Q(x)$



The line: $T(x) = 2Q(x)$ corresponds to the Weight Vector $W: [1, 2]$, when we use the scalar fitness function F :

$$F = W * [Q(x), T(x)]$$

$$F = [1, 2] * [Q(x), T(x)]$$

$$F = Q(x) + 2 * T(x)$$

Evolution in Multiobjective problems

MOEAs with weights

- VOW-GA: Variable Objective Weighting GA
(Hajela & Lin 1992)
- RW-GA: Random Weights GA
(Ishibuchi & Murata, 1998)

Evolution in Multiobjective problems

MOEAs generating the pareto frontier (first generation)

- **MOGA: Multi-objective Optimization GA**

C.M. Fonseca, P.J. Fleming, Genetic algorithms for multiobjective optimization: Formulation, discussion and generalization. S. Forrest (Ed.), Proc. 5th Int. Conf. on Genetic Algorithms, Morgan Kaufmann, 1993, 416-423.

- **NPGA: Niche Pareto GA**

J. Horn, N. Nafpliotis. Multiobjective Optimization Using the Niche Pareto Genetic Algorithms. IlliGAL Report 93005, University of Illinois, Urbana, Champaign, July 1993.


- **NSGA: Non-dominated Sorting GA**

N. Srinivas, K. Deb, Multiobjective Optimization Using Nondominated Sorting in Genetic Algorithms. Evolutionary Computation 2 (1995) 221-248.

<http://sci2s.ugr.es/docencia/index.php> (link course)

Evolution in Multiobjective problems

- MOGA: Multi-objective Optimization GA
(Fonseca & Fleming 1993)



C.M. Fonseca, P.J. Fleming, Genetic algorithms for multiobjective optimization: Formulation, discussion and generalization. S. Forrest (Ed.), Proc. 5th Int. Conf. on Genetic Algorithms, Morgan Kaufmann, 1993, 416-423.

The Elitims: Second generation of MOEAs

Elitism as an external population (elite set).

Elitism in the population.

The Elitism: Second generation of MOEAs

- STRENGTH PARETO EVOLUTIONARY ALGORITHMS (SPEA) (Zitzler, Thiele, 1998)

Elite set: Elitism as an external population

Zitzler, E., Thiele, L. (1998a) An evolutionary algorithm for multiobjective optimization: The strength Pareto Approach. Technical Report 43, Zürich, Switzerland: Computer Engineering and Networks Laboratory (TIK), Swiss Federal Institute of Technology (ETH).

E. Zitzler, L. Thiele. Multiobjective Evolutionary Algorithms: A Comparative Case Study and the Strength Pareto Approach. IEEE Transactions on Evolutionary Computation 3:4 (1999) 257-217.

<http://sci2s.ugr.es/docencia/index.php> (link course)

The Elitism: Second generation of MOEAs

E. Zitzler, K. Deb, L. Thiele. Comparison of Multiobjective Evolutionary Algorithms: Empirical Results. *Evolutionary Computation* 8:2 (2000) 173-195.

<http://sci2s.ugr.es/docencia/index.php> (link course)

- **Comparison between NSGA and SPEA: The best is SPEA.**
- **Comparing NSGA + Elitims and SPEA: Equal behaviour.**

The Elitism: Second generation of MOEAs

SPEA2: Revised version of SPEA.

Eckart Zitzler, Marco Laumanns, Lothar Thiele: **SPEA2: Improving the Strength Pareto Evolutionary Algorithm.**

Zürich, TIK Report Nr. 103, Computer Engineering and Networks Lab (TIK), Swiss Federal Institute of Technology (ETH) Zurich, May, 2001.



Eckart Zitzler

<http://www.tik.ee.ethz.ch/~zitzler/>

Source code

<http://www.tik.ee.ethz.ch/%7ezitzler/testdata.html#source>

Eckart Zitzler

PISA

A Platform and Programming Language Independent Interface for Search Algorithms

<http://www.tik.ee.ethz.ch/pisa/>

The Elitism: Second generation of MOEAs

Elitism in the population.
NSGA-II: Considered the best

Nondominated Sorting Genetic Algorithm II

K. Deb, A. Pratap, S. Agarwal and T. Meyarivan. A Fast and Elitist Multiobjective Genetic Algorithm: NSGA-II. IEEE Transactions on Evolutionary Computation 6:2 (2002) 182-197.

<http://sci2s.ugr.es/docencia/index.php> (link course)

Niching approach: crowding instead of sharing.

Selection comparing parents and offspring.

Highly efficient algorithm.

It was proposed by K. Deb and his students in 2000.

NSGA

NS-GA: Non-dominated Sorting GA (*Srinivas & Deb, 1995*)

- Before selection is applied, the population is ranked on the basis of non-domination, and all non-dominated individuals are classified into *one pool*.
 - Each individual in the pool is assigned the same pseudo-fitness value (proportional to the population size) and has an equal chance of being considered.
 - To maintain population diversity, these classified individuals are shared with the rest of the population by using their pseudo fitness values.
 - After sharing, these individuals are recorded, and then temporarily ignored to identify the second pool of non-dominated individuals.
 - These individuals were assigned a lower pseudo-fitness value than the members in the first pool.
 - The process continues until the entire population is classified into pools.
 - The population is then reproduced utilizing the pseudo-fitness values.
- **NSGA suffers from overall performance issues and are very dependent to the value of the sharing factor.**

NSGA-II

Some problems:

- ❑ When we use a high number of objectives (five or more) it has exploratory problems (as all the remaining MOEAs).
- ❑ It has a better behaviour with real coding than with binary coding.

NSGA-II



Kalyanmoy Deb

<http://www.iitk.ac.in/kangal/>

The IEEE TEC paper describing NSGA-II for multi-objective optimization is judged as the FAST-BREAKING PAPER IN ENGINEERING by Web of Science (ESI) in February 2004

Software Developed at KanGAL

<http://www.iitk.ac.in/kangal/codes.shtml>

- Multi-objective NSGA-II code in C
 - Original Implementation (for Windows and Linux): [NSGA-II in C \(Real + Binary + Constraint Handling\)](#)
 - New (10 April 2005) (for Linux only): [NSGA-II in C \(Real + Binary + Constraint Handling\)](#)
 - Revision 1.1 (10 May 2005) (for Linux only): [NSGA-II in C \(Real + Binary + Constraint Handling\)](#)
 - Revision 1.1 (10 June 2005) (for Linux only): [NSGA-II in C with gnuplot \(Real + Binary + Constraint Handling\)](#)

Metrics

Given 2 non-dominated sets X' y X'' , the function C provides us a dominance degree between them in $[0,1]$:

$$C(X', X'') := \frac{|\{a'' \in X''; \exists a' \in X' : a' \prec = a''\}|}{|X''|}$$

$C(X', X'')$ measures the dominance degree of X' over X'' .

Clearly $C(X', X'') \neq C(X'', X')$.

Metrics

■ M_1

Distance to the
Optimal pareto

$$M_1(X') = \frac{1}{|X'|} \sum_{a' \in X'} \min \left\{ \|a' - \bar{a}\|_H; \bar{a} \in \bar{X} \right\}$$
$$M_1^*(Y') = \frac{1}{|Y'|} \sum_{p' \in Y'} \min \left\{ \|p' - \bar{p}\|; \bar{p} \in \bar{Y} \right\}$$

■ M_2

Distribution of
Non-dominated
Solutions

$$M_2(X') = \frac{1}{|X'-1|} \sum_{a' \in X'} \left| \left\{ b' \in X'; \|a' - b'\| > \sigma \right\} \right|$$


Equal on the objectives

■ M_3

Extension of
the frontier

$$M_3(X') = \sqrt{\sum_{i=1}^m \max \left\{ \|a'_i - b'_i\|_H; a', b' \in X' \right\}}$$
$$M_3^*(Y') = \sqrt{\sum_{i=1}^n \max \left\{ \|p'_i - q'_i\|; p', q' \in Y' \right\}}$$

Learning more on MOEAs



EMOO repository:

<http://delta.cs.cinvestav.mx/~ccoello/EMOO>



C.A. Coello, D.A. Van Veldhuizen, G.B. Lamont, Evolutionary Algorithms for Solving Multi-Objective Problems. Kluwer Academic Pub., 2002.



C.A. Coello

Evolutionary Multi-Criterion Optimization


Third Int. Conf, EMO 2005, Guanajuato, Mexico, March 9-11, 2005, Proceedings

Series: [Lecture Notes in Computer Science](#), Vol. 3410

Coello Carlos A.; Hernández, Arturo; Zitzler, Eckart (Eds.) 2005, XVI, 912 p.,

Basic lectures on MOEA

Basic Lectures: <http://sci2s.ugr.es/docencia/index.php> (link course)



C.A. Coello. Evolutionary Multiobjective Optimization: Current and Future Challenges. Benitez, O. Cordon, F. Hoffmann, and R. Roy (Eds.), *Advances in Soft Computing--- Engineering, Design and Manufacturing*. Springer-Verlag, September, 2003, pp. 243 - 256.

E. Zitzler, L. Thiele, M. Laumanns, C.M. Fonseca, and V. Grunert da Fonseca. Performance Assessment of Multiobjective Optimizers: An Analysis and Review. *IEEE Transactions on Evolutionary Computation* 7:2, April, 2003, pp. 117 - 132.

K. Deb, A. Pratap, S. Agarwal, and T. Meyarivan. A Fast and Elitist Multiobjective Genetic Algorithm: NSGA-II. *IEEE Transactions on Evolutionary Computation* 6:2, April, 2002, pp. 182 - 197.

M. Laumanns, L. Thiele, K. Deb, and E. Zitzler. Combining Convergence and Diversity in Evolutionary Multi-objective Optimization. *Evolutionary Computation* 10:3, Fall, 2002, pp. 263 - 282.

K. Deb, L. Thiele, M. Laumanns, and E. Zitzler. Scalable Test Problems for Evolutionary Multiobjective Optimization. In A. Abraham, L. Jain, and R. Goldberg (Eds.), *Evolutionary Multiobjective Optimization. Theoretical Advances and Applications*. Springer, USA, 2005, pp. 105 - 145.

BOOKS:

K. Deb, *Multi-Objective Optimization using Evolutionary Algorithms*. John Wiley & Sons, 2001.

C.A. Coello, D.A. Van Veldhuizen, G.B. Lamont, *Evolutionary Algorithms for Solving Multi-Objective Problems*. Kluwer Academic Pub., 2002.

MOEA Software Links

SPEA

<http://www.tik.ee.ethz.ch/%7ezitzler/testdata.html#source>

NSGAI I

<http://www.iitk.ac.in/kangal/codes.shtml>

MOMHLib + +

Open source Multiple-Objective MetaHeuristics Library in C++

<http://www-idss.cs.put.poznan.pl/~jaszkiewicz/MOMHLib/>

At present the library includes the following methods:

- Pareto simulated annealing (PSA) [PSA's home page](#),
- Serafini's multiple objective simulated annealing (SMOSA) [4][5],
- Ulungu's et al. multiple objective simulated annealing (MOSA) [7],
- Pareto memetic algorithm [8],
- multiple objective genetic local search (MOGLS) [MOGLS's home page](#),
- Ishibuchi's and Murata's multiple objective genetic local search (IMMOGLS) [3],
- multiple objective multiple start local search (MOMSLS),
- non-dominated sorting genetic algorithm (NSGA) [6] and controlled NSGA II [1],
- Strength Pareto Evolutionary Algorithm [9].

EMOO-Software link: <http://www.lania.mx/~ccoello/EMOO/EMOOsoftware.html>

2. MULTIOBJECTIVE GENETIC ALGORITHMS

Final comments

- ❑ The MOEAs are one of the more important/active research areas in Evolutionary Computation.
- ❑ They have a high applicability, being a very important tool for tackling multiobjective optimization problems.
- ❑ It is a consolidated area but also an open area for research and development of new algorithms (incorporating preferences, dynamic functions, constraints, scalability on the number of objectives, trade-off efficiency and effectiveness in complex problems, parallelisms,) and also for applications.

Session b.

Genetic Algorithms: Advanced topics

- ❑ Multimodal problems and multiple solutions
- ❑ Multiobjective genetic algorithms
- ❑ **Memetic algorithms**
- ❑ Genetic Learning

3. MEMETIC ALGORITHMS

- **WHAT IS A MEMETIC ALGORITHM?**
 - **WHY HYBRID EAs?**
 - **BASIC CONCEPTS**
 - **RECENT STUDIES**
- David W. Corne, Marco Dorigo, Fred Glover (Eds.), *New Ideas in Optimization*, McGraw Hill, 1999. Part Four: Memetic Algorithms

What is a memetic algorithm?


Algorithm based on the evolution of populations that use the knowledge on the problem in the search process (usually, the knowledge is in the form of local search algorithms acting on the population individuals).

Why this hybrid model?

Why this hybrid model?

- Evolutionary algorithms have good exploratory features →
- Local search have bad exploratory features →


- Evolutionary algorithms have not high exploitation features ●
- Local search have high exploitation features ●



Why this hybrid model?

The limits of the EAs

On the behaviour of EAs



Why this hybrid model?

No Free Lunch Theorem (1995):

"...for any algorithm, any elevated performance over one class of problems is exactly paid for in performance over another class." Wolpert and Macready (1997)

$$\sum_f E(\vec{c} / f, m, a) = \sum_f E(\vec{c} / f, m, b)$$



David. H. Wolpert



William G. Macready

No free lunch theorems for optimization


Wolpert, D.H.; Macready, W.G.;

Evolutionary Computation, IEEE Transactions on 1:1, April 1997, 67 – 82

Why this hybrid model?


Implications
of NFL (I)

$$\sum_f E(\vec{c} / f, m, a) = \sum_f E(\vec{c} / f, m, b)$$



Why this hybrid model?

Implications of NFL (II): The winner only in a particular domain



Why this hybrid model?

We consider five knowledge degrees on the problem:

1. Perfect knowledge
2. **Partial knowledge**
3. Low knowledge
4. Very low knowledge
5. **None knowledge** (NFL)

The results of NFL theorem are critics when we compare situations (2) and (5).

Why this hybrid model?

**The EAs can improve their behaviour with
knowledge incorporation:**


Memetic Algorithms

Memetic Algorithms: Basic concepts

- The **Memetic Algorithms (MAs)** are constructed on the notion of *meme*.
- Meaning: Imitation unit, analogy to a gen but in the context of “cultural evolution”.
- The term was introduced by **por Richard Dawkins** in the book “The Selfish Gene” (University Press, 1976)



Memetic Algorithms: Basic concepts



« Examples of **memes** are tunes, ideas, catch-phrases, clothes fashions, ways of making pots or of building arches. Just as genes propagate themselves in the gene pool by leaping from body to body via sperms or eggs, so **memes** propagate themselves in the **meme pool** by leaping from brain to brain via a process which, in the broad sense, can be called imitation.»

R. Dawkins, 1976

Memetic Algorithms: Basic concepts




A **Memetic Algorithm** is a population of **agents** that alternate periods of **self-improvement** (via local search) with periods of **cooperation** (via recombination), and **competition** (via selection).

P. Moscato, 1989


Moscato, P.A. (1989). On Evolution, Search, Optimization, Genetic Algorithms and Martial Arts: Towards Memetic Algorithms. Caltech Concurrent Computation Program Report 826, Caltech, Pasadena, California.

Memetic Algorithms: Basic concepts



Memetic Algorithms: Basic concepts

Other hybridations



Memetic Algorithms: Basic concepts

Multiobjective memetic algorithms

- *M-PAES*

M-PAES: a memetic algorithm for multiobjective optimization

Knowles, J.D.; Corne, D.W.;

Evolutionary Computation, 2000. Proceedings of the 2000 Congress on
Volume 1, 16-19 July 2000 Page(s):325 - 332 vol.1

- *MOGLS*

Genetic Local Search for Multi-Objective Combinatorial Optimization

Andrzej Jaskiewicz

European Journal of Operational Research 137, 2002, 50-71.


Balance between genetic search and local search in memetic algorithms for multiobjective permutation flowshop scheduling

Ishibuchi, H.; Yoshida, T.; Murata, T.;

Evolutionary Computation, IEEE Transactions on 7:2 (2003), 204 – 223

<http://sci2s.ugr.es/docencia/index.php> (link course)

Memetic Algorithms: Recent studies



Recent Advances in Memetic Algorithms
Studies in Fuzziness and Soft Computing, Vol. 166
Hart, William E.; Krasnogor, N.; Smith, J.E. (Eds.)
2005, X, 408 p., Hardcover
ISBN: 3-540-22904-3

Memetic Algorithms: Recent studies



N. Krasnogor and J.E. Smith.

A tutorial for competent memetic algorithms: model, taxonomy and design issues.

IEEE Transactions on Evolutionary Computation 9(5):474- 488, 2005.

Y.S. Ong and M.-H. Lim and N. Zhu and K.W. Wong.

Classification of Adaptive Memetic Algorithms: a Comparative Study

IEEE Transactions on System, Man. and Cybernetic 36:1, 141-152, 2006.

**IEEE TRANSACTIONS ON
SYSTEMS, MAN, AND
CYBERNETICS
PART B: CYBERNETICS**

<http://sci2s.ugr.es/docencia/index.php> (link course)

Dr. Yew Soon Ong, Dr. Natalio Krasnogor, Dr. Hisao Ishibuchi
IEEE Transactions on Systems, Man and Cybernetics - Part B:
Special Issue on Memetic Algorithms, 37:1, February, 2007.

3. MEMETIC ALGORITHMS



Basic Bibliography <http://sci2s.ugr.es/docencia/index.php> (link course)

- P. Moscato, "Memetic Algorithms: A short introduction", *New Ideas in Optimization* (pp. 219-234), Corne D., Dorigo M., Glover F., McGraw-Hill-UK, 1999
- P. Moscato, C. Cotta, "A Gentle Introduction to Memetic Algorithms", *Handbook of Metaheuristics*, F. Glover, G. Kochenberger (eds.), pp. 105-144, Kluwer Academic Publishers, Boston MA, 2003
- P. Moscato, C. Cotta, "Una Introducción a los Algoritmos Memeticos", *Inteligencia Artificial. Revista Iberoamericana de IA*, No. 19, 2003, 131-148.
- W E Hart, N Krasnogor and J E Smith. "Memetic Evolutionary Algorithms", *Recent Advances in Memetic Algorithms*, Hart, William E.; Krasnogor, N.; Smith, J.E. (Eds.) 2005, 3-27.
- N. Krasnogor and J.E. Smith.
A tutorial for competent memetic algorithms: model, taxonomy and design issues.
IEEE Transactions on Evolutionary Computation 9(5):474- 488, 2005.
- Y.S. Ong and M.-H. Lim and N. Zhu and K.W. Wong.
Classification of Adaptive Memetic Algorithms: a Comparative Study
IEEE Transactions on System, Man, and Cybernetic 36:1, 141-152, 2006.

3. MEMETIC ALGORITHMS

Final comments

- The MAs exploit the available knowledge on the problem, using it embedded in the evolutionary model.
- It is very important to design the MA with a good balance between the global search (evolutionary model) and the local search. There does not exist a systematic procedure for that.
- They show a high effectiveness in different problems.

Session b.

Genetic Algorithms: Advanced topics

- ❑ Multimodal problems and multiple solutions
- ❑ Multiobjective genetic algorithms
- ❑ Memetic algorithms
- ❑ **Genetic Learning**


4. GENETIC LEARNING

- **WHY GENETIC LEARNING?**
- **SOME MODELS**
- **KEEL SOFTWARE TOOL**

Why genetic learning?

The EAs were not designed as a learning paradigm.

However, a lot of learning models use optimization techniques, and EAs can be used in these optimization processes.



Why genetic learning?

We can find different ways to use Evolutionary Algorithms in knowledge extraction:


Rules genetic learning: genetic fuzzy systems, interval learning algorithms, etc.

Genetic programming in regression and classification


Hybrid evolutionary learning models: evolutionary neural networks, evolutionary instance selection, evolutionary clustering, ...

Application in different KDD steps: data reduction, models extraction in Data Mining ...

Some genetic learning models




Some genetic learning models




Some genetic learning models: Multiobjective learning

Two Goals in Knowledge Extraction

- (1) **Accuracy Maximization**
(Error Minimization)
- (2) **Interpretability Maximization**
(Complexity Minimization)



Some genetic learning models: Multiobjective learning




Some genetic learning models: Multiobjective learning

Error


Accuracy-Complexity Tradeoff

Decision Trees



Complexity

Some genetic learning models: Multiobjective learning



Tradeoff between Accuracy and Complexity


Some genetic learning models: Multiobjective learning

Single-Objective Approach

Goal: To maximize the generalization ability.


Difficulty 1: It is very difficult to find an appropriate complexity (i.e., it is difficult to find S^*).

Difficulty 2: If the user thinks that the interpretability is very important, S^* may be too complicated.



Some genetic learning models: Multiobjective learning

Goal: To find a large number of rule sets with different accuracy-complexity tradeoffs.



KEEL software tool

KEEL

Knowledge Extraction based on Evolutionary Learning

<http://www.keel.es/>

KEEL is a software tool which allows analyzing the behaviour of evolutionary learning in the different areas of learning and preprocessing tasks, making easy to the user the management of these techniques.

J. Alcalá, et al.

KEEL: A Software Tool to Assess Evolutionary Algorithms to Data Mining Problems.
Soft Computing, 2007, submitted.

KEEL software tool

The screenshot shows a Mozilla Firefox browser window displaying the KEEL website. The browser's address bar shows the URL <http://www.keel.es/>. The website's main header features the KEEL logo (a blue circle with a white shark fin) and the text "KNOWLEDGE EXTRACTION based on EVOLUTIONARY LEARNING". A navigation menu on the left includes links for "KEEL Description", "Members", "KEEL Publications", "List of References by Specific Areas", "KEEL-dataset", "KEEL Software Tool", "JCLEC", "Links", and "Identification Access". The main content area displays a screenshot of the "KEEL Tool 1.0" interface, which has a dark blue background with a world map and four green circular icons labeled "Data Management", "Experiments", "Educational", and "Help". Below the main content, there is a section titled "KEEL: Knowledge Extraction based on Evolutionary Learning (Spanish National Project TIC2002-04038-C05 and TIN2005-08386-C05)". This section states that the project is developed with the collaboration of five investigation groups and lists their logos and names: SC²S (Spanish National Project), Ayrna (Spanish National Project), GRSI (Spanish National Project), SMI (Spanish National Project), and Metrology and Models (Spanish National Project). At the bottom left, there is a logo for the "MINISTERIO DE EDUCACIÓN Y CIENCIA" and a counter showing "Visits since 05/11/2005: 7226".

KEEL software tool



KEEL software tool

The currently available version of KEEL consists of the following function blocks:

Data Management: This part is composed of a set of tools that can be used to build new data, export and import data in other formats to KEEL format, data edition and visualization, apply transformations and partitioning to data, etc...

Design of Experiments (off-line module): The aim of this part is the design of the desired experimentation over the selected data sets. It provides options for many choices: type of validation, type of learning (classification, regression, unsupervised learning), etc...

Educational Experiments (on-line module): With a similar structure to the previous part, allows us to design an experiment which can be step-by-step debugged in order to use this as a guideline to show the learning process of a certain model by using the platform with educational objectives.

KEEL software tool

Shortly, we can describe the main features of KEEL.

Evolutionary algorithms are presented in predicting models, pre-processing and postprocessing

It includes data pre-processing algorithms: data transformation, discretization, instance selection and feature selection.

It has a statistical library to analyze algorithms' results: parametric and non-parametric comparisons among the algorithms.


It provides an user-friendly interface, oriented to the analysis of algorithms.

The software is aimed to create experimentations containing multiple data sets and algorithms connected among themselves to obtain a result expected. Experiments are independently script-generated from the user interface for an off-line run in the same or other machines.

KEEL also allows to create experiments in on-line mode, aiming an educational support in order to learn the operation of the algorithms included.

KEEL software tool

It contains a Knowledge Extraction Algorithms Library, remarking the incorporation of multiple evolutionary learning algorithms, together with classical learning approaches




KNOWLEDGE EXTRACTION based on EVOLUTIONARY LEARNING

KEEL algorithms


Algorithms included in KEEL:

- Data Preprocessing. This section includes: discretization, feature selection, instance selection, transformation and missing values.
- Classification Algorithms. This section includes: statistical classifiers, decision trees, interval rule learning, evolutionary interval rule learning, fuzzy rule based systems for classification, neural networks for classification.
- Regression Algorithms. This section includes: statistical regression, fuzzy rule based systems for regression, symbolic regression and neural networks regression.
- Non-Supervised Learning. This section includes: clustering algorithms, subgroup discovery and association rules.
- Statistical Tests. This section includes: test analysis for classification and test analysis for regression.

KEEL software tool



KEEL software tool



4. GENETIC LEARNING


Bibliography

John J. Grefenstette (Eds.)
Genetic Algorithms for Machine Learning.
Kluwer-Academic, 1993.



Sankar K. Pal and Paul P. Wang (Eds.)
Genetic Algorithms for Pattern Recognition
CRC Press, 1996.

A.A. Freitas, *Data Mining and Knowledge Discovery with Evolutionary*
Springer-Verlag, 2002.






A. Ghosh, L.C. Jain (Eds.),
Evolutionary Computation in Data Mining. Springer-Verlag, 2005.

4. GENETIC LEARNING


Bibliography

O. Cordón, F. Herrera, F. Hoffmann, L. Magdalena
GENETIC FUZZY SYSTEMS.
Evolutionary Tuning and Learning of
Fuzzy Knowledge Bases.
World Scientific, Julio 2001.



M.L. Wong, K.S. Leung, *Data Mining using Grammar Based Genetic Programming and Applications.*
Kluwer Academics Publishers, 2000.

Y. Jin (Ed.)
Multi-Objective Machine Learning
Springer-Verlag, 2006.



4. GENETIC LEARNING



Final comments: Some new challenges

Scalability of the evolutionary algorithms for knowledge extraction in large data sets.

Distributed genetic learning.

Multiobjective genetic learning including two or more objectives: precision and interpretability measures.

Genetic Algorithms: Introduction and Advanced Topics

¡Thanks!

